

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,614,507

Page 1 of 1

APPLICATION NO.: 10/705,174

ISSUE DATE : November 10, 2009

INVENTOR(S) : Mitchell, Michael Donovan et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8

Line 52, please delete "Ethers" and insert-- ethers --.

Column 9

Line 37, please delete "may be 20 reducing" and insert-- may be reducing --.

Column 10

Line 48, please delete "volume ft" and insert-- volume of --.

Column 21

Line 26, please delete "end filter" and insert-- and filter --.

Column 25

Line 46, please delete "about 1X10⁹" and insert-- 1X10⁹ --.

Line 61, please delete "1X10" and insert-- 1X10⁷ --.

MAILING ADDRESS OF SENDER:

The Procter & Gamble Company
Intellectual Property Division
Sycamore Building
299 East Sixth Street, 4th Floor
Cincinnati, OH 45202

PATENT NO. 7,614,507

No. of add'l. copies

⇒ _____
@ 30¢ per page

P&G Case: 8681RCR2

Send to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box
1450, Alexandria, VA 22313-1450

Certificate of Correction
Rev. 07/22/08